# **Refine Search**

## Search Results -

Terms	Documents			
L4 AND translate OR translator	11070			

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database


US OCR Full-Text Database

Database: EPO Abstracts Database

JPO Abstracts Database Derwent World Patents Index

IBM Technical Disclosure Bulletins


Search:











# **Search History**

DATE: Monday, December 13, 2004 Printable Copy Create Case

Set Name side by side		Hit Count	Set Name result set
DB=U	SPT; PLUR=NO; OP=OR		
<u>L5</u>	L4 AND translate OR translator	11070	<u>L5</u>
<u>L4</u>	L3 AND ((choose OR select ) OR ((Click-on OR click ADJ ON)))	1478	<u>L4</u>
<u>L3</u>	L ANd (dynamic ADJ memory)	2373	<u>L3</u>
<u>L2</u>	L1 ANd design AND test ANd graphical and translator	3	<u>L2</u>
<u>L1</u>	717/124.ccls.	269	L1

END OF SEARCH HISTORY

# **Hit List**



## Search Results - Record(s) 1 through 3 of 3 returned.

☐ 1. Document ID: US 6721941 B1

L2: Entry 1 of 3

File: USPT

Apr 13, 2004

US-PAT-NO: 6721941

DOCUMENT-IDENTIFIER: US 6721941 B1

TITLE: Collection of timing and coverage data through a debugging interface

DATE-ISSUED: April 13, 2004

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Morshed; Farokh Amherst NH Meagher; Robert Milford NH

US-CL-CURRENT: 717/127; 709/217, 714/38, 717/124, 717/126, 717/128, 717/129,

717/130, 717/131, 719/328

## ABSTRACT:

Techniques for gathering execution information about an application, such as a distributed application, are described. Key communication points in cross execution context calls, such as remote procedure calls, are determined and control is transferred to instrumentation routines to insert and extract execution information. Outgoing remote procedure calls are intercepted on a client that inserts call origin information into the request sent to a server system. Messages received by a server are intercepted. The server system extracts the call origin information and additionally inserts other information in a response sent to the client system upon completion of a remote procedure call. In turn, the client system intercepts the response and extracts other performance information. On each client and server system, information is gathered by a reader and forwarded to a local collector. This information may be further forwarded to and correlated by a client collector from one or more remote server collectors in accordance with processes of each distributed application. Various statistics for a distributed application may be determined in addition to per process statistics. These include wire time, code coverage as related to the distributed application, remote procedure call tracing, and performance profiling. A variety of techniques are described to obtain program execution information in connection with an executing application including instrumentation techniques and use of a debugger interface to obtain profiling and other execution information. All of the program execution data may be collected and correlated at one or more particular points using other techniques described to represent coordinated application monitoring.

50 Claims, 82 Drawing figures Exemplary Claim Number: 1

Record List Display Page 2 of 3

Number of Drawing Sheets: 77

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw De

☐ 2. Document ID: US 6701514 B1

L2: Entry 2 of 3

File: USPT

Mar 2, 2004

US-PAT-NO: 6701514

DOCUMENT-IDENTIFIER: US 6701514 B1

TITLE: System, method, and article of manufacture for test maintenance in an

automated scripting framework

DATE-ISSUED: March 2, 2004

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY.

Haswell; John Jeffrey Herndon VA
Young; Robert J. Charlestown MA
Schramm; Kevin Rose Valley PA

US-CL-CURRENT: 717/115; 707/102, 717/124

### **ABSTRACT:**

A system, method and article of manufacture are provided for affording test maintenance in an automated scripting framework. First, a plurality of test scripts are developed. Then, the plurality of test scripts are stored in a centrally located database. A user is then allowed to edit a specific test script located on the centrally located database. Finally, the user edits to the specific test script are propagated to each of the plurality of test scripts.

18 Claims, 82 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 52

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences Attachments	Claims	KWIC	Draw, De
							_				

☐ 3. Document ID: US 6412106 B1

L2: Entry 3 of 3

File: USPT

Jun 25, 2002

US-PAT-NO: 6412106

DOCUMENT-IDENTIFIER: US 6412106 B1

TITLE: Graphical system and method for debugging computer programs

DATE-ISSUED: June 25, 2002

Record List Display Page 3 of 3

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Leask; Gary M. Dallas TX Huffman; Dale L. Allen TX

US-CL-CURRENT: <u>717/124</u>; <u>717/125</u>, <u>717/148</u>

### ABSTRACT:

A system and method for graphically debugging a computer program is disclosed. In a preferred embodiment, a <a href="graphical">graphical</a> debugging environment is provided, which is capable of displaying a <a href="graphical">graphical</a> representation of an application program to be debugged. Thereafter, the <a href="graphical">graphical</a> debugging environment allows a user to insert debugging tools, such as breakpoints, directly into the <a href="graphical">graphical</a> representation of the application program. Thus, a user is not required to interact with the textual source code of an application program when debugging it. The <a href="graphical">graphical</a> debugging environment may display indicators illustrating where debug tools have been inserted within the application program. In a preferred embodiment, the <a href="graphical">graphical</a> debugging environment allows a user to perform debugging during an application program's runtime. Thus, a user is not required to halt an application program prior to debugging it. Also, in a preferred embodiment the <a href="graphical">graphical</a> debugging environment executing on a local computer may be used to debug an application program residing on a remote computer.

52 Claims, 9 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 7

oper in	Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Drawt De
	Clear		Cener	ate Got	lection	Pahil		wd Refs	Elave	Refs	Gener	a(e) ©/	(CS )
			ms	-						Doc	uments		
		Ll.	ANd de	sign A			3						

Display Format: REV Change Format

Previous Page Next Page Go to Doc#

# **Hit List**



## Search Results - Record(s) 1 through 6 of 6 returned.

☐ 1. Document ID: US 6789252 B1

L6: Entry 1 of 6

File: USPT

Sep 7, 2004

US-PAT-NO: 6789252

DOCUMENT-IDENTIFIER: US 6789252 B1

TITLE: Building business objects and business software applications using dynamic

object definitions of ingrediential objects

DATE-ISSUED: September 7, 2004

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Burke; Miles D. Phoenix AZ 85016 Solar, Jr.; Richard J. Phoenix AZ 85018

US-CL-CURRENT: 717/100; 717/103

#### ABSTRACT:

A method and system are provided for providing an open and extensible object definition framework that manages business object definitions as specifications. This framework may be used to dynamically define any object that is to be processed by a computer. Objects can include Properties, Classifications, Knowledge, Business Objects, and Business Rules to name a few. Some examples of typical Business Objects include: business and social entities; locations, including spaces, places and channels; activities, including events and processes; items, including products and services; and business records, including orders and other forms of demand, inventory, jobs, deliverables, statements, transaction history et. al. The method and system may be used to define any object that is to be processed by a computer. Objects can include Properties, Classifications, Knowledge, Business Objects, and Business Rules to name a few. Typical Business Objects include: Business and social entities; Locations including spaces, places, and channels; Activity including events and processes; Items including products and services; Business Records including orders and other forms of demand, inventory, jobs, deliverables, statements, transaction history et. al.

237 Claims, 127 Drawing figures

Exemplary Claim Number: 1
Number of Drawing Sheets: 72

Full Title Citation	F	5	Don't a	6 . 7 .	Carmana	044 1	~		
ruii ille i Ukation i	Front I Kev	1600 I Classification	i Date	i Reference i	THE RESERVE OF THE RE		Haimsi	801011	Drawt De
					كالمستوات المستوات				5415.000

Record List Display Page 2 of 5

☐ 2. Document ID: US 6772408 B1

L6: Entry 2 of 6 File: USPT Aug 3, 2004

US-PAT-NO: 6772408

DOCUMENT-IDENTIFIER: US 6772408 B1

TITLE: Event model using fixed-format text strings to express event actions

DATE-ISSUED: August 3, 2004

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Velonis; John Dobbs Ferry NY Deb Nath; Rituraj Stamford CT

US-CL-CURRENT: 717/100; 709/223, 709/224, 715/763, 717/101, 717/102, 717/103, 717/106, 717/108, 717/109

#### ABSTRACT:

The present invention relates to computer software for initiating actions in response to user input, e.g., on an Internet web page. More particularly, the invention provides an improved event model comprising software components (designated "Fidgets" herein) which use fixed-format text strings to express event actions in a content delivery subsystem. In particular, the present invention provides a method for setting the event target property for a user event without the need to recompile software.

16 Claims, 3 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 3

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	КИЛС	Draw, De

□ 3. Document ID: US 6618851 B1

L6: Entry 3 of 6 File: USPT Sep 9, 2003

US-PAT-NO: 6618851

DOCUMENT-IDENTIFIER: US 6618851 B1

TITLE: Method and apparatus for state-reversion

DATE-ISSUED: September 9, 2003

INVENTOR-INFORMATION:

NAME STATE ZIP CODE COUNTRY Zundel; Robert E. Wilsonville OR Mullin; Doug Portland OR Synge; James Portland OR Borduin; Scott Lake Oswego OR

Record List Display Page 3 of 5

US-CL-CURRENT: 717/103; 711/156, 717/120

#### ABSTRACT:

A programming environment can be modified to provide automatic support for reverting program memory states. Such memory reversions are used to provide automatic support for state-reversion, undo, redo, and abort operations for application programs written with the programming environment. Memory allocation code (e.g., functions, procedures, etc.) are modified to mark allocated memory as protected, and an exception handler is assigned to such memory. Attempts to access the memory cause an exception to be generated. This exception is caught, providing opportunity for the memory to be preserved before it is modified. Previous memory states can be retrieved by restoring such stored memory states. State-reversion can be effected by creating a new current memory state corresponding to a previous (e.g., retrieved) memory state.

16 Claims, 7 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 6

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences, Alter	chinents	Claims	KWIC	Draw, De

☐ 4. Document ID: US 6601233 B1

L6: Entry 4 of 6 File: USPT Jul 29, 2003

US-PAT-NO: 6601233

DOCUMENT-IDENTIFIER: US 6601233 B1

TITLE: Business components framework

DATE-ISSUED: July 29, 2003

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Underwood; Roy Aaron Long Grove IL

US-CL-CURRENT: 717/102; 717/100, 717/101, 717/103, 717/104, 717/106, 717/107

### ABSTRACT:

A method of generating software based on business components. A plurality of logical business components in a business are first defined with each business component having a plurality of capabilities. Next, functional interrelationships are identified between the logical business components. Code modules are then generated to carry out the capabilities of the logical business components and the functional interrelationships between the logical business components, wherein the code modules represent a transformation of the logical business components to their physical implementation, while ensuring the capabilities that are carried out by each code module are essentially unique to the logical business component associated with the code module. Next, the functional aspects of the code modules and the functional relationships of the code modules are tested. The code modules are then subsequently deployed in an e-commerce environment.

Record List Display Page 4 of 5

18 Claims, 177 Drawing figures

Exemplary Claim Number: 1

Number of Drawing Sheets: 111

Full Title Citation Front Review Classification Date Reference Seguences Attachments Claims KWIC Draw, De

☐ 5. Document ID: US 5960200 A

L6: Entry 5 of 6

File: USPT

Sep 28, 1999

US-PAT-NO: 5960200

DOCUMENT-IDENTIFIER: US 5960200 A

TITLE: System to transition an enterprise to a distributed infrastructure

DATE-ISSUED: September 28, 1999

INVENTOR - INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Eager; Timothy

Fullerton

CA

Anand; Madhav

Cambridge

MA CA

Aslanian; Edouard Hermosa Beach

US-CL-CURRENT: 717/147; 703/13, 703/20, 705/7, 709/201, 717/103, 717/104, 717/108

### ABSTRACT:

An automated system transitions an entire enterprise to a distributed infrastructure. The system includes a process for organizing and managing the transition, a multi-tiered client/server architecture that adheres to open systems standards, a system to automate the transition of existing applications to this architecture, and a system to enable the creation or modification of applications based on this architecture.

54 Claims, 36 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 36

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw, De
								·				

☐ 6. Document ID: US 5872932 A

L6: Entry 6 of 6

File: USPT

Feb 16, 1999

US-PAT-NO: 5872932

DOCUMENT-IDENTIFIER: US 5872932 A

TITLE: Persistence specification system and method for producing persistent and transient submaps in a management station for a data communication network

Record List Display Page 5 of 5

DATE-ISSUED: February 16, 1999

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Schettler; Robert Dwight Fort Collins CO McCollom; William Girard Fort Collins CO Haimson; David M. Fort Collins CO

US-CL-CURRENT: <u>709/226</u>; <u>717/103</u>

#### ABSTRACT:

Discovery/layout software configures a general purpose computer system to act as a management station using an industry standard SNMP protocol. The discovery/layout software has a discovery mechanism and a layout mechanism which, in combination, permit the discovery/layout software to provide various submaps to a display for illustrating network topology, which includes devices and device interconnections of the network. The submaps correspond to various hierarchical views of the network. Significantly, a persistence specification mechanism is provided in the discovery/layout software for specifying a submap as either transient (generated upon demand) or persistent (exists whether demanded or not). An integrating application as well as the user can identify a submap as persistent. This feature enables better interfacing of the integrating application with the station, thereby providing more information to the user. This feature further minimizes memory requirements as well as requisite processing time due to the elimination of unnecessary submaps and the elimination of processing of topology changes relative to the unnecessary submaps.

18 Claims, 19 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 18

Full Tit	le Citation	Front	Review	Classification	Date	Reference	Sequences	Altachments	Claims	KWMC	Drawt De
										-	
Clear	Gener	ate Co	lection	Piling	<b>1</b>	wd Refs	Bkw	Refs	Cena	eie 0/:	(SS)
[F											
	Terms		•					Doc	uments		
	717/103).c	cls. A	ND des	ign ANd te	st and	l (graphic	al)			6	

Display Format: REV Change Format

Previous Page Next Page Go to Doc#